



SAFETY DATA SHEET WEBBFLEX SOLVENT CLEANER

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME WEBBFLEX SOLVENT CLEANER

PRODUCT NO. 10730

APPLICATION Aerosol dispensed solvent cleaner

SUPPLIER Tremco illbruck Production Limited
Coupland Road
Hindley Green
Wigan WN2 4HT
England
Tel : +44 (0)1942 258011
Fax : +44 (0)1942 521923
email : msds@tremco-illbruck.co.uk

CONTACT PERSON R P Brisbourne

EMERGENCY TELEPHONE (+44) 1942 258011

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
ACETONE	200-662-2	67-64-1	60-100%	F;R11 Xi;R36 R66 R67
BUTANE	203-448-7	106-97-8	1-5%	F+;R12
ISOBUTANE	200-857-2	75-28-5	1-5%	F+;R12
PROPANE	200-827-9	74-98-6	5-10%	F+;R12

The Full Text for all R-Phrases are Displayed in Section 16

3 HAZARDS IDENTIFICATION

Extremely flammable.

Irritating to eyes.

Repeated exposure may cause skin dryness or cracking.

Vapours may cause drowsiness and dizziness.

CLASSIFICATION Xi;R36. F+;R12. R66, R67.

PHYSICAL AND CHEMICAL HAZARDS

Aerosol containers can explode when heated, due to excessive pressure build-up.

The product is highly flammable, and explosive vapours/air mixtures may be formed even at normal room temperatures.

4 FIRST-AID MEASURES

INHALATION

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

INGESTION

Drink plenty of water. Get medical attention.

SKIN CONTACT

Rinse with water.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

WEBBFLEX SOLVENT CLEANER

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog. DO NOT USE: Water jet.

UNUSUAL FIRE & EXPLOSION HAZARDS

Extremely flammable. Containers will explode in a fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS

Collect with absorbent, non-combustible material into suitable containers.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not pierce or burn, even after use.

STORAGE PRECAUTIONS

Keep away from heat, sparks and open flame. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
ACETONE	WEL	500 ppm	1210 mg/m3	1500 ppm	3620 mg/m3
BUTANE	WEL	600 ppm	1450 mg/m3	750 ppm	1810 mg/m3

PROTECTIVE EQUIPMENT



RESPIRATORY EQUIPMENT

In case of inadequate ventilation use suitable respirator.

HAND PROTECTION

Use protective gloves made of: Nitrile. or Neoprene.

EYE PROTECTION

Wear approved safety goggles.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear liquid		
ODOUR	Solvent.		
SOLUBILITY	Miscible with water.		
RELATIVE DENSITY	0.7	VOLATILE BY VOL. (%)	100%
FLASH POINT (°C)	< 0°	AUTO IGNITION TEMPERATURE (°C)	350°
FLAMMABILITY LIMIT - LOWER(%)	1.7%	FLAMMABILITY LIMIT - UPPER(%)	13%

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

WEBBFLEX SOLVENT CLEANER

11 TOXICOLOGICAL INFORMATION

INHALATION

Vapour can have a narcotic effect.

INGESTION

Low oral toxicity

SKIN CONTACT

Slightly irritating.

EYE CONTACT

May cause temporary eye irritation.

12 ECOLOGICAL INFORMATION

ACUTE FISH TOXICITY

Low toxicity to aquatic organisms

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

The product (including empty containers containing any residual unevaporated solvent) is classed as hazardous waste.

14 TRANSPORT INFORMATION



PROPER SHIPPING NAME	AEROSOLS		
UN NO. ROAD	1950	ADR CLASS NO.	2 5F
UN NO. SEA	1950	IMDG CLASS	2.1

15 REGULATORY INFORMATION

LABELLING



Irritant



Extremely Flammable

RISK PHRASES

R12	Extremely flammable.
R36	Irritating to eyes.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

SAFETY PHRASES

S23	Do not breathe vapour/spray.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S2	Keep out of the reach of children
S29/56	Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
S46	If swallowed, seek medical advice immediately and show this container or label.

WEBBFLEX SOLVENT CLEANER

S51

Use only in well-ventilated areas.

UK REGULATORY REFERENCES

Chemicals (Hazard Information and Packaging for Supply) (Amendment)
Regulations 2005 (CHIP 3.1)

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substance Directive 67/548/EEC.

All Adaptions to Technical Progress up to the 29th.

16 OTHER INFORMATION

REVISION DATE 14/03/2007

RISK PHRASES IN FULL

R11	Highly flammable.
R12	Extremely flammable.
R36	Irritating to eyes.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.