

P560 MAG




PRODUCT DESCRIPTION

- Powder actuated tool for cladding & roofing

PRODUCT PROMISE

Fastest method of installing metal sheet on steel

FEATURES AND BENEFITS

- ETA Approved direct fixing system
- Most compact & lightest product on the market
- Suitable for use in confined spaces
- Quick release system allows for tool free simple & fast tool servicing
- Sequential metal disc system prevents unused loads
- 4 point 360° magazine position

APPROVALS



APPLICATIONS

- Fastening Of Cladding & Roofing Metal Sheet Profiles Plus Metal Grating Systems

SUBSTRATES



SAFETY



PRODUCT RANGE

Item Description ▲▼	Kit Contains ▲▼	Quantity ▲▼	Product Code ▲▼
P560 with Magazine	P560 PAT Tool High impact carry case Safety goggles to EN166:B Cleaning cloth and brushes 1 Piston ring Lubricating oil Safety gloves Ear protection Instruction manual CE Declaration of Conformity	1	013891

CONSUMABLES



SA12

Threaded pin for use with the steel grid adaptor kit

▲▼ Item Description	▲▼ Fastener Length	▲▼ Quantity	▲▼ Product Code
SA12 M8 10/25mm	27 mm	100	033750
SA12 M8 15/30mm	32 mm	100	033760



HSBR14 COLLATED

Collated pins for steel applications

▲▼ Item Description	▲▼ Fastener Length	▲▼ Quantity	▲▼ Product Code
HSBR14 25.4mm Collated	25.4 mm	1000	053953



HSBR14 SINGLE SHOT

Single shot pins for steel applications

▲▼ Item Description	▲▼ Fastener Length	▲▼ Quantity	▲▼ Product Code
HSBR14 25.4mm Single shot	25.4 mm	1000	011390

PIN PAT SBR14 LOOSE SPIT

▲▼ Item Description	▲▼ Product Code
SBR 14 25.5mm Pins	030750



6,3/16 CARTRIDGE

Metal disc cartridge with 10 loads

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Black (Very High) - 6.3 x 16mm	100	031210
Blue (Medium High) - 6.3 x 16mm	100	031230
Red (High) - 6.3 x 16mm	100	031220
Yellow (Medium) - 6.3 x 16mm	100	031240

ACCESSORIES



Eurocode 013955
P560 Single Shot Kit




Eurocode 310080
SPIT Lubricating Oil Spray



Eurocode 014137
P560 Spare Piston



Eurocode 013952
P560 Magazine Kit



Eurocode 014136
P560 Piston Kit

TECHNICAL INFORMATION

Tool

Description ▲▼	Value ▲▼
Weight According EPTA (Kg)	4.2 kg kg
Net Depth Dimension	277 x 363 x 77 mm

Consumables

Description ▲▼	Value ▲▼
Fastener Length Range	25.6 mm
Magazine Capacity	10 fixings
Fixings Per Sec	1 fixings

Safety

Description ▲▼	Value ▲▼
Sound Pressure Level (En 12549) Lpa,1S,1M	111 dB(A)